ELSEVIER

Brain Research Protocols 4 (1999) 438–440

BRAIN RESEARCH PROTOCOLS

Author Index

Adachi, N., see Lei, B. (4) 415
Alster, P., see Gustafsson, H. (4) 192
Arai, T., see Lei, B. (4) 415
Atlante, A. and Passarella, S.
Detection of reactive oxygen species in primary cultures of cerebellar granule cells (4) 266
Avan, P., see Mom, T. (4) 249

Bakonyi, A., see Horváth, E.J. (4) 230
Bambrick, L.L., see Haydar, T.F. (4) 425
Barnea, A. and Roberts, J.
An improved method for dissociation and aggregate culture of human fetal brain cells in serum-free medium (4) 156
Baumgartner, A., see Pinna, G. (4) 19
Beck, H., see Kudin, A. (4) 329
Bernstein, M.A. and Welch, S.P.
A method for the determination of activated receptor phosphorylation state following in vivo drug treatment (4) 420
Bonfils, P., see Mom, T. (4) 249
Brodin, E., see Gustafsson, H. (4) 192
Broedel, O., see Pinna, G. (4) 19
Bunai, Y., see Hara, A. (4) 140
Bussolino, D.F., see Guido, M.E. (4) 147

Camarasa, J., see Sureda, F.X. (4) 280
Cameron, C.M., see Reynolds Jr., N.C. (4) 124
Camins, A., see Sureda, F.X. (4) 280
Caputto, B.L., see Guido, M.E. (4) 147
Chen, L., Segal, D.M. and Mash, D.C.
Semi-quantitative reverse-transcriptase polymerase chain reaction: an approach for the measurement of target gene expression in human brain (4) 132
Chennaoui, M., see Drogou, C. (4) 322
Chopp, M., see Morris, D.C. (4) 185
Cicinelli, P., see Traversa, R. (4) 44
Comas, J., see Sureda, F.X. (4) 280
Comer, A.M., Gibbons, H.M., Qi, J., Kawai, Y., Win, J. and Lipski, J.
Detection of mRNA species in bulbospinal neurons isolated from the rostral ventrolateral medulla using single-cell RT–PCR (4) 367
Cynader, M.S., see Wang, X.F. (4) 209

Dahmen, N., see Ficková, M. (4) 341
Davies, K., see Morris, D.C. (4) 185
De Araujo Lucas, G., see Gustafsson, H. (4) 192
De Arriba Zerpa, G.A., see Guido, M.E. (4) 147
Deza, S., see Guido, M.E. (4) 147
Di Porzio, U., see Pernas-Alonso, R. (4) 395
Doherty, C.P., Meredith, G.E., Farrell, M., Toland, J. and Staunton, H.
Radiological determination of the posterior limits of the temporal lobe for volumetric analysis (4) 1
Dräger, U.C., see McCaffery, P. (4) 103
Dringen, R., see Hirrlinger, J. (4) 223
Drogou, C., Chennaoui, M., Forestier, L., Grimaldi, B., Fillion, G. and Guezennec, Y.
Application of the polymerase chain reaction to the RNase protection assay for 5-HT_{1B} receptor mRNA levels measurement in rat brain tissues (4) 322
Dykes, R.W., see Miasnikov, A.A. (4) 49

Elepfandt, P., see Schöning, B. (4) 217
Elger, C.E., see Kudin, A. (4) 329
Emerson, M.R., Nelson, S.R., Samson, F.E. and Pazdernik, T.L.
A global hypoxia preconditioning model: neuroprotection against seizure-induced specific gravity changes (edema) and brain damage in rats (4) 360
Eravci, M., see Pinna, G. (4) 19
Erdtmann-Vourliotis, M., Mayer, P., Riechert, U., Händel, M., Kriebitzsch, J. and Höllt, V.
Rational design of oligonucleotide probes to avoid optimization steps in in situ hybridization (4) 82
Escubedo, E., see Sureda, F.X. (4) 280
Ettel, M., see Rosa-Molinar, E. (4) 115

Farrell, M., see Doherty, C.P. (4) 1
Feeney, D.M., see Gasparovic, C. (4) 97
Fehr, C., see Ficková, M. (4) 341
Fekete, M.I.K., see Horváth, E.J. (4) 230
Fenstermacher, J., see Morris, D.C. (4) 185
Fetissov, S.O. and Marsais, F.
Combination of immunohistochemical and in situ hybridization methods to reveal tyrosine hydroxylase and oxytocin and vasopressin mRNAs in magnocellular neurons of obese Zucker rats (4) 36
Ficková, M., Dahmen, N., Fehr, C. and Hiemke, C.
Quantitation of GABA transporter 3 (GAT3) mRNA in rat brain by competitive RT–PCR (4) 341
Filippi, M., see Traversa, R. (4) 44
Fillion, G., see Drogou, C. (4) 322
Fiskå, A., see Svendsen, F. (4) 165
Forestier, L., see Drogou, C. (4) 322
Fritzsch, B., see Rosa-Molinar, E. (4) 115

Gabriel, C., see Sureda, F.X. (4) 280
Gasparovic, C., King, D. and Feeney, D.M.
Metabolism in single rat brain slices measured by magnetic resonance spectroscopy (4) 97
Geiger, J.D., see Mayne, M. (4) 295
Gibbons, H.M., see Comer, A.M. (4) 367
Gilain, L., see Mom, T. (4) 249
Giusto, N.M., see Guido, M.E. (4) 147
Gjerstad, J., see Svendsen, F. (4) 165
Grimaldi, B., see Drogou, C. (4) 322
Guezennec, Y., see Drogou, C. (4) 322
Guido, M.E., Bussolino, D.F., De Arriba Zerpa, G.A., Deza, S., Pasquaré, S.J., Giusto, N.M. and Caputto, B.L.
A simple method to obtain retinal cell preparations highly enriched in specific cell types. Suitability for lipid metabolism studies (4) 147
Gustafsson, H., De Araujo Lucas, G., Schött, E., Stiller, C.-O., Alster, P., Wiesenfeld-Hallin, Z. and Brodin, E.
Measurement of cholecystokinin release in vivo in the rat spinal dorsal horn (4) 192

Hämmerle, H., see Hoff, A. (4) 237
Hamprecht, B., see Hirrlinger, J. (4) 223
Händel, M., see Erdtmann-Vourliotis, M. (4) 82
Hara, A., Niwa, M., Iwai, T., Nakashima, M., Bunai, Y., Uematsu, T., Yoshimi, N. and Mori, H.
Neuronal apoptosis studied by a sequential TUNEL technique: a method for tract-tracing (4) 140
Hartmann, A.M., see Stoss, O. (4) 383
Hashimoto, T., see Tokuyama, W. (4) 407
Haug, F.-M., see Laake, J.H. (4) 173
Haydar, T.F., Bambrick, L.L., Krueger, B.K. and Rakic, P.
Organotypic slice cultures for analysis of proliferation, cell death, and migration in the embryonic neocortex (4) 425
Hiedra, L., see Pinna, G. (4) 19
Hiemke, C., see Ficková, M. (4) 341
Hirrlinger, J., Hamprecht, B. and Dringen, R.
Application and modulation of a permanent hydrogen peroxide-induced oxidative stress to cultured astroglial cells (4) 223
Hoff, A., Hämmerle, H. and Schlosshauer, B.
Organotypic culture system of chicken retina (4) 237
Hole, K., see Svendsen, F. (4) 165

Höllt, V., see Erdtmann-Vourliotis, M. (4) 82
Horváth, E.J., Salamon, C., Bakonyi, A., Fekete, M.I.K. and Palkovits, M.
[^{3}H]-Girisopam, a novel selective benzodiazepine for the 2,3-benzodiazepine binding site (4) 230

Ikarashi, Y., Yuzurihara, M., Takahashi, A., Ishimaru, H. and Maruyama, Y.
Neurochemical determination of the location of NMDA and GABA receptors on rat striatal cholinergic neurons (4) 378
Illes, P., see Pissarek, M. (4) 314
Ishimaru, H., see Ikarashi, Y. (4) 378
Iwai, T., see Hara, A. (4) 140
Iwaki, T., see Suzuki, S.O. (4) 29

Jackson, I.M.D., see Luo, L.-G. (4) 201

Kamada, K., Pekar, J.J. and Kanwal, J.S.
Anatomical and functional imaging of the auditory cortex in awake mustached bats using magnetic resonance technology (4) 351
Kanwal, J.S., see Kamada, K. (4) 351
Kawai, Y., see Comer, A.M. (4) 367
King, D., see Gasparovic, C. (4) 97
Kipke, D.R., see Williams, J.C. (4) 303
Kobayashi, T., see Zinchuk, V.S. (4) 258
Krauss, G.-J., see Pissarek, M. (4) 314
Kriebitzsch, J., see Erdtmann-Vourliotis, M. (4) 82
Krueger, B.K., see Haydar, T.F. (4) 425
Kudin, A., Vielhaber, S., Beck, H., Elger, C.E. and Kunz, W.S.
Quantitative investigation of mitochondrial function in single rat hippocampal slices: a novel application of high-resolution respirometry and laser-excited fluorescence spectroscopy (4) 329
Kukita, F., see Nakanishi, K. (4) 105
Kunz, W.S., see Kudin, A. (4) 329

Laake, J.H., Haug, F.-M., Wieloch, T. and Ottersen, O.P.
A simple in vitro model of ischemia based on hippocampal slice cultures and propidium iodide fluorescence (4) 173
Lanksch, W.R., see Schöning, B. (4) 217
Lei, B., Adachi, N., Nagaro, T. and Arai, T.
Measurement of total nitric oxide metabolite (NO_x^-) levels in vivo (4) 415
Li, Y.X., see Tokuyama, W. (4) 407
Lin, W., see Reynolds Jr., N.C. (4) 124
Lipski, J., see Comer, A.M. (4) 367
Liu, G.-Q., see Zhang, Y. (4) 288
Luo, L.-G. and Jackson, I.M.D.
Advantage of double labeled in situ hybridization for detecting the effects of glucocorticoids on the mRNAs of proto-oncogenes and neural peptides (TRH) in cultured hypothalamic neurons (4) 201

Mahal, B., see Winkler, A. (4) 69
Manaenko, A., see Pissarek, M. (4) 314
Marsais, F., see Fetissov, S.O. (4) 36
Maruyama, Y., see Ikarashi, Y. (4) 378
Mash, D.C., see Chen, L. (4) 132
Mayer, P., see Erdtmann-Vourliotis, M. (4) 82
Mayne, M., Shepel, P.N. and Geiger, J.D.
Recovery of high-integrity mRNA from brains of rats killed by high-energy focused microwave irradiation (4) 295
McCaffery, P. and Dräger, U.C.
Corrigendum to 'A sensitive bioassay for enzymes that synthesize retinoic acid' [Brain Res. Protocols 1 (1997) 232–236] (4) 103
Meinhold, H., see Pinna, G. (4) 19
Meredith, G.E., see Doherty, C.P. (4) 1
Miasnikov, A.A., Webster, H.H. and Dykes, R.W.
Temporally structured impulse activity in spontaneously discharging somatosensory cortical neurons in the awake cat: recognition and quantitative description of four different patterns of bursts, post-recording GFAP immunohistology and computer reconstruction of the studied cortical surface (4) 49
Miyashita, Y., see Tokuyama, W. (4) 407
Mom, T., Avan, P., Bonfils, P. and Gilain, L.
A model of cochlear function assessment during reversible ischemia in the Mongolian gerbil (4) 249
Morelli, F., see Pernas-Alonso, R. (4) 395
Mori, H., see Hara, A. (4) 140
Morris, D.C., Zhang, Z., Davies, K., Fenstermacher, J. and Chopp, M.
High resolution quantitation of microvascular plasma perfusion in non-ischemic and ischemic rat brain by laser-scanning confocal microscopy (4) 185

Nagane, Y., see Utsugisawa, K. (4) 92
Nagaro, T., see Lei, B. (4) 415
Nagashima, K., see Suzuki, T. (4) 271
Nakanishi, K., Nakanishi, M. and Kukita, F.
Dual intracellular recording of neocortical neurons in a neuron–glia co-culture system (4) 105
Nakanishi, M., see Nakanishi, K. (4) 105
Nakashima, M., see Hara, A. (4) 140
Namima, M., Sugihara, K., Watanabe, Y., Sasa, H., Umekage, T. and Okamoto, K.
Quantitative analysis of the effects of lithium on the reverse tolerance and the c-Fos expression induced by methamphetamine in mice (4) 11
Nayler, O., see Stoss, O. (4) 383
Nelson, S.R., see Emerson, M.R. (4) 360
Nishihira, J., see Suzuki, T. (4) 271
Niwa, M., see Hara, A. (4) 140

Ogata, A., see Suzuki, T. (4) 271
Okada, T., see Zinchuk, V.S. (4) 258
Okamoto, K., see Namima, M. (4) 11
Okuno, H., see Tokuyama, W. (4) 407
Oliveri, M., see Traversa, R. (4) 44
Ottersen, O.P., see Laake, J.H. (4) 173

Palkovits, M., see Horváth, E.J. (4) 230
Pallàs, M., see Sureda, F.X. (4) 280
Palmieri, M.G., see Traversa, R. (4) 44
Pasqualetti, P., see Traversa, R. (4) 44
Pasquaré, S.J., see Guido, M.E. (4) 147
Passarella, S., see Atlante, A. (4) 266
Pazdernik, T.L., see Emerson, M.R. (4) 360
Pekar, J.J., see Kamada, K. (4) 351
Pernas-Alonso, R., Morelli, F., Di Porzio, U. and Perrone-Capano, C.
Multiplex semi-quantitative reverse transcriptase–polymerase chain reaction of low abundance neuronal mRNAs (4) 395
Perrone-Capano, C., see Pernas-Alonso, R. (4) 395
Pinna, G., Hiedra, L., Prengel, H., Broedel, O., Eravci, M., Meinhold, H. and Baumgartner, A.
Extraction and quantification of thyroid hormones in selected regions and subcellular fractions of the rat brain (4) 19
Pissarek, M., Reinhardt, R., Reichelt, C., Manaenko, A., Krauss, G.-J. and Illes, P.
Rapid assay for one-run determination of purine and pyrimidine nucleotide contents in neocortical slices and cell cultures (4) 314
Prengel, H., see Pinna, G. (4) 19
Proskocil, B.J., see Rosa-Molinar, E. (4) 115

Qi, J., see Comer, A.M. (4) 367

Rakic, P., see Haydar, T.F. (4) 425
Reichelt, C., see Pissarek, M. (4) 314
Reinhardt, R., see Pissarek, M. (4) 314
Rennaker, R.L., see Williams, J.C. (4) 303
Reynolds Jr., N.C., Lin, W., Cameron, C.M. and Roerig, D.L.
Extracellular perfusion of rat brain nuclei using microdialysis: a method for studying differential neurotransmitter release in response to neurotoxins (4) 124
Riechert, U., see Erdtmann-Vourliotis, M. (4) 82
Roberts, J., see Barnea, A. (4) 156
Roerig, D.L., see Reynolds Jr., N.C. (4) 124
Rosa-Molinar, E., Proskocil, B.J., Ettel, M. and Fritzsch, B.
Whole-mount procedures for simultaneous visualization of nerves, neurons, cartilage and bone (4) 115
Rossini, P.M., see Traversa, R. (4) 44
Rygh, L.J., see Svendsen, F. (4) 165

Salamon, C., see Horváth, E.J. (4) 230
Salminen, A., see Solovyan, V. (4) 335
Samson, F.E., see Emerson, M.R. (4) 360
Sasa, H., see Namima, M. (4) 11
Schlosshauer, B., see Hoff, A. (4) 237
Schöning, B., Elepfandt, P., Lanksch, W.R., Volk, H.-D. and Woiciechowsky, C.
Continuous infusion of proinflammatory cytokines into the brain to study brain cytokine induced local and systemic immune effects (4) 217
Schött, E., see Gustafsson, H. (4) 192

Segal, D.M., see Chen, L. (4) 132
Shepel, P.N., see Mayne, M. (4) 295
Solovyan, V. and Salminen, A.
A rapid and efficient method for preparation of genomic DNA suitable for analysis of both high and low molecular weight DNA fragmentation during neuronal apoptosis (4) 335
Spanagel, R., see Winkler, A. (4) 69
Stamm, S., see Stoss, O. (4) 383
Staunton, H., see Doherty, C.P. (4) 1
Stiller, C.-O., see Gustafsson, H. (4) 192
Stoilov, P., see Stoss, O. (4) 383
Stoss, O., Stoilov, P., Hartmann, A.M., Nayler, O. and Stamm, S.
The in vivo minigene approach to analyze tissue-specific splicing (4) 383
Sugihara, K., see Namima, M. (4) 11
Sureda, F.X., Gabriel, C., Comas, J., Pallàs, M., Escubedo, E., Camarasa, J. and Camins, A.
Evaluation of free radical production, mitochondrial membrane potential and cytoplasmic calcium in mammalian neurons by flow cytometry (4) 280
Suzuki, S.O. and Iwaki, T.
Non-isotopic in situ hybridization of CD44 transcript in formalin-fixed paraffin-embedded sections (4) 29
Suzuki, T., Ogata, A., Tashiro, K., Nagashima, K., Tamura, M., Yasui, K. and Nishihira, J.
A method for detection of a cytokine and its mRNA in the central nervous system of the developing rat (4) 271
Svendsen, F., Rygh, L.J., Gjerstad, J., Fiskå, A., Hole, K. and Tjølsen, A.
Recording of long-term potentiation in single dorsal horn neurons in vivo in the rat (4) 165
Takahashi, A., see Ikarashi, Y. (4) 378
Tamura, M., see Suzuki, T. (4) 271
Tashiro, K., see Suzuki, T. (4) 271
Tjølsen, A., see Svendsen, F. (4) 165
Tohgi, H., see Utsugisawa, K. (4) 92
Tokuyama, W., Hashimoto, T., Li, Y.X., Okuno, H. and Miyashita, Y.
Quantification of neurotrophin-3 mRNA in the rat hippocampal subregions using the RT-PCR-based coamplification method (4) 407
Toland, J., see Doherty, C.P. (4) 1
Traversa, R., Cicinelli, P., Filippi, M., Oliveri, M., Palmieri, M.G., Pasqualetti, P. and Rossini, P.M.
A method to monitor motor cortical excitability in human stroke through motor evoked potentials (4) 44

Uematsu, T., see Hara, A. (4) 140
Ukitsu, M., see Utsugisawa, K. (4) 92
Umekage, T., see Namima, M. (4) 11
Utsugisawa, K., Tohgi, H., Yoshimura, M., Nagane, Y. and Ukitsu, M.
Quantitation of nicotinic acetylcholine receptor subunits α4 and β2 messenger RNA in postmortem human brain using a non-radioactive RT-PCR and CCD imaging system (4) 92

Vielhaber, S., see Kudin, A. (4) 329
Volk, H.-D., see Schöning, B. (4) 217

Wang, X.F. and Cynader, M.S.
Effects of astrocytes on neuronal attachment and survival shown in a serum-free co-culture system (4) 209
Watanabe, Y., see Namima, M. (4) 11
Webster, H.H., see Miasnikov, A.A. (4) 49
Welch, S.P., see Bernstein, M.A. (4) 420
Wieloch, T., see Laake, J.H. (4) 173
Wiesenfeld-Hallin, Z., see Gustafsson, H. (4) 192
Williams, J.C., Rennaker, R.L. and Kipke, D.R.
Long-term neural recording characteristics of wire microelectrode arrays implanted in cerebral cortex (4) 303
Win, J., see Comer, A.M. (4) 367
Winkler, A., Mahal, B., Zieglgänsberger, W. and Spanagel, R.
Accurate quantification of the mRNA of NMDAR1 splice variants measured by competitive RT-PCR (4) 69
Woiciechowsky, C., see Schöning, B. (4) 217

Yasui, K., see Suzuki, T. (4) 271
Yoshimi, N., see Hara, A. (4) 140
Yoshimura, M., see Utsugisawa, K. (4) 92
Yuzurihara, M., see Ikarashi, Y. (4) 378

Zhang, Y. and Liu, G.-Q.
A novel method to determine the localization of high and low-affinity GABA transporters to the luminal and antiluminal membranes of brain capillary endothelial cells (4) 288
Zhang, Z., see Morris, D.C. (4) 185
Zieglgänsberger, W., see Winkler, A. (4) 69
Zinchuk, V.S., Okada, T. and Kobayashi, T.
Detection of ecto-ATPase activity in synaptic plasma membranes for studying extracellular ATP-induced signal transduction (4) 258